

















ACCESSORIES

Technical drawing	Gasket type	Part number	Gasket material	Rated temperature range	Colour	Packaging	Suitable connectors
	Profiled	100013000	NBR	From -40°C to 90°C	Black	50pcs/bag	G1 G1C CG1 CGB
		10001400F	Silicone	From -40°C to 125°C	White		
	Integrated	10001400I	NBR	From -40°C to 90°C	Black	50pcs/bag	G1 G1C CG1 CGB
		10001400M	Silicone	From -40°C to 125°C	White		
	Flat	10001400A	NBR	From -40°C to 90°C	Black	50pcs/bag	G1 G1C CG1 CGB G4 TIMER-DIG
		10001400G	Silicone	From -40°C to 125°C	White		
	Profiled	300013000	NBR	From -40°C to 90°C	Black	50pcs/bag	M1 CM1 M2 CM2
		30001400H	Silicone	From -40°C to 125°C	White		
	Integrated	30001400I	NBR	From -40°C to 90°C	Black	50pcs/bag	CM1
		30001400J	Silicone	From -40°C to 125°C	White		
	Integrated	30001400M	NBR	From -40°C to 90°C	Black	50pcs/bag	CM2
		30001400K	Silicone	From -40°C to 125°C	White		
	Flat	30001400A	NBR	From -40°C to 90°C	Black	50pcs/bag	M1 CM1
		30001400G	Silicone	From -40°C to 125°C	White		
	Flat	30001400N	NBR	From -40°C to 90°C	Black	50pcs/bag	M2 CM2
		30001400P	Silicone	From -40°C to 125°C	White		
	Profiled	500013000	NBR	From -40°C to 90°C	Black	100pcs/bag	P1 CP1 P2 CP2
		50001400F	Silicone	From -40°C to 125°C	White		
	Integrated	50001400I	NBR	From -40°C to 90°C	Black	100pcs/bag	CP1 CP2
		50001400M	Silicone	From -40°C to 125°C	White		

ACCESSORIES

Valve connector gaskets

Technical drawing	Gasket type	Part number	Gasket material	Rated temperature range	Colour	Packaging	Suitable connectors
	Flat	50001400A	NBR	From -40°C to 90°C	Black	100pcs/bag	P1 CP1 P2 CP2
		50001400G	Silicone	From -40°C to 125°C	White		
	Profiled	100013000A	NBR	From -40°C to 90°C	Black	50pcs/bag	BG5
		100013000D	Silicone	From -40°C to 125°C	White		
	Flat	10001400J	NBR	From -40°C to 90°C	Black	100pcs/bag	BG0 BG1 BG2 BG5 BG8 BG10 BG16 BG33 BG42
		10001400K	Silicone	From -40°C to 125°C	White		
	Flat	10001400H	NBR	From -40°C to 90°C	Black	100pcs/bag	BG0 BG4
		10001400N	Silicone	From -40°C to 125°C	White		
	Flat	30001400E	NBR	From -40°C to 90°C	Black	140pcs/bag	BM1
		30001400F	Silicone	From -40°C to 125°C	White		
	Flat	50001400J	NBR	From -40°C to 90°C	Black	100pcs/bag	BP1
		50001400K	Silicone	From -40°C to 125°C	White		
	Flat	50001400E	NBR	From -40°C to 90°C	Black	100pcs/bag	BP2
		50001400H	Silicone	From -40°C to 125°C	White		

Technical drawing	Thread type	Length	Part number	Screw material	Packaging	Suitable connectors
	M3x0.5	42mm	10001500F	Iron + Zinc plated	50pcs/bag	G4
			10001500F-SS	Iron AISI 304		
	M3x0.5	35mm	10001500R	Iron + Zinc plated	50pcs/bag	CG5
			10001500R-SS	Iron AISI 304		
	M3x0.5	35.4mm	10001500V	Iron + Zinc plated	50pcs/bag	G1C
			10001500V-SS	Iron AISI 304		
	M3x0.5	32.5mm	100015000	Iron + Zinc plated	50pcs/bag	G1 M1 M2
			100015000-SS	Iron AISI 304		
	M2.5x0.5	28mm	50001500A	Iron + Zinc plated	100pcs/bag	P1
			50001500A-SS	Iron AISI 304		
	M3x0.5	28mm	70001500B	Iron + Zinc plated	100pcs/bag	P2
			70001500B-SS	Iron AISI 304		
	M3x0.5	26mm	70001500C	Iron + Zinc plated	50pcs/bag	CM1B
			70001500C-SS	Iron AISI 304		
	M3x0.5	25mm	10001500P	Iron + Zinc plated	50pcs/bag	CG1 G1 Adaptor CM1 M1 Adaptor CM2
			10001500P-SS	Iron AISI 304		
	M3x0.5	22.5mm	70001500P	Iron + Zinc plated	50pcs/bag	CGB CP2 P2 Adaptor
			70001500P-SS	Iron AISI 304		
	M2.5x0.5	22.5mm	50001500P	Iron + Zinc plated	50pcs/bag	CP1 P1 Adaptor
			50001500P-SS	Iron AISI 304		

ACCESSORIES




Valve connector screws

Technical drawing	Thread type	Length	Part number	Screw material	Packaging	Suitable connectors
	ext.: M4x0.5 int.: M3x0.5	15.5mm	30020500	Iron + Zinc plated	120pcs/bag	BG8 BG10 BG16 BM1
			30020500-SS	Iron AISI 304		
	ext.: M4x0.5 int.: M3x0.5	14mm	30020500A	Iron + Zinc plated	120pcs/bag	BG33 BG42
			30020500A-SS	Iron AISI 304		
	M3x0.5	10mm	100210001	Iron + Zinc plated	200pcs/bag	BG1 BG5
			100210001-SS	Iron AISI 304		
	M3x0.5	8mm	700210001	Iron + Zinc plated	100pcs/bag	BP2
			700210001-SS	Iron AISI 304		
	M2.5x0.5	8mm	500210001	Iron + Zinc plated	100pcs/bag	BP1
			500210001-SS	Iron AISI 304		
	M3x0.5	7.3mm	100210003	Iron + Zinc plated	100pcs/bag	BG0 BG4
			100210003-SS	Iron AISI 304		
	M3x0.5	5mm	300210004*	Iron + Zinc plated	120pcs/bag	BM1
			300210004-SS*	Iron AISI 304		
	M3x0.5	4.8mm	100210002*	Iron + Zinc plated	100pcs/bag	BG1 BG5 BG8 BG10 BG16 BG33 BG42
			100210002-SS*	Iron AISI 304		

* Screws for P.E.(EARTH) pins.

NOTES:


- All screws for DIN connectors are provided with different O-rings depending on the products where they are used.
- All O-rings are made in NBR - In case of other O-rings material is requested please contact us to verify the feasibility.
- All Gaskets can't be sold alone, they must be ordered with the connectors or bases corresponding.
- All Screws can't be sold alone, they must be ordered with the connectors or bases corresponding.


Technical drawing	Cap type	Part number	Gasket materials	Colour	Packaging	Suitable connectors
	Male suitable for Female connector	CAPS-12-M-P	PA66	Black	50pcs/bag	M12 Female connectors M12 boxes
	Female SNAP-IN suitable for Male connector	CAPS-12-F-P	PA66	Transparent	50pcs/bag	M12 Male connectors
	Male suitable for Female connector	CAPS-12-M-M	Brass + Nickel plated	Metal	50pcs/bag	M12 Female connectors M12 boxes
	Female suitable for Male connector	CAPS-12-F-M	Brass + Nickel plated	Metal	50pcs/bag	M12 Male connectors
	Male suitable for Female connector	CAPS-08-M-P	PA66	Black	50pcs/bag	M8 Female connectors M8 boxes
	Female SNAP-IN suitable for Male connector	CAPS-08-F-P	PA66	Transparent	50pcs/bag	M8 Male connectors
	Male suitable for Female connector	CAPS-08-M-M	Brass + Nickel plated	Metal	50pcs/bag	M8 Female connectors M8 boxes
	Female suitable for Male connector	CAPS-08-F-M	Brass + Nickel plated	Metal	50pcs/bag	M8 Male connectors
	Female	CAPS BG	PE	White	50pcs/bag	BG bases

ACCESSORIES






Clip and adapters for corrugated conduit



Technical drawing	Int. conduits diameter	Ext. conduits diameter	Part number	Conduits clip material	Packaging	Suitable connectors
	ø6.2mm and ø9.6mm	ø10mm and ø13mm	ACC1	PA66	50pcs/bag	Din connectors Field attachable* Din connectors with moulded cable Circular M12 connectors Field attachable* Circular M12 connectors with moulded cable Automotive connectors with moulded cable



Technical drawing	Gland thread type	Length	Part number	Cable gland	Gland material	Gland colour	Packaging	Suitable connectors
	PG11	29.4mm	ACSC-PG11	6.5-7mm	PA66	Black	50pcs/bag	G1 G1C G4 12ML 12FL 12MU 12FU
	PG9	29mm	ACSC-PG9	4-7mm	PA66	Black	50pcs/bag	M1 M2
	PG7	29mm	ACSC-PG7	3.5-6mm	PA66	Black	50pcs/bag	P1 P2 12FC 12MC 12FB 12MB 12FZ 12MZ 12FT 12MT

* To connect the conduits clip, all field attachable connectors must have the gland with the exit cable.

	Round seal with 2 open holes ø5.5mm	1001000C	PVC	Black	50pcs/bag	PG11	G1 G1C G4 12ML 12FL 12MU 12FU
	Round seal with 2 open holes ø2mm	10010000C-2H	PVC PA66	Black	50pcs/bag	PG11	G1 G1C G4 12ML 12FL 12MU 12FU
	Round seal with 4 closed holes+plastic washer easy to break with conductors	10010000F	NBR	Black	50pcs/bag	PG11	G1 G1C G4 12ML 12FL 12MU 12FU
	Seal reduction with 1 closed holes easy to break with conductors	10010000A-SI	PVC	Black	50pcs/bag	PG11	G1 G1C G4 12ML 12FL 12MU 12FU
	Seal reduction with 1 closed holes easy to break with conductors	10010000D	PVC	Black	50pcs/bag	PG7	P1 P2 P3
	Metal Washer	10010000E	Iron	-	50pcs/bag	PG11	G1 G1C G4 12ML 12FL 12MU 12FU

Technical drawing	Technical scheme	Product type	Part number	LED Colour	Packaging	Suitable poles numbers	Suitable connectors
		Bipolar led + resistance with n°2 wires	ELBO 01	Red	50pcs/bag	2 poles connected	G1 G1C M1 12FT M2 12MT 12MZ 12FZ
		Bicolour led + resistances	ELBO 02	n°1 Yellow n°2 Green	50pcs/bag	3 poles connected	G1 G1C 12MZ 12FZ 12MT 12FT